Subscribe to Newsletters

A Login / Register



Adhesives Ingredients

INGREDIENTS SELECTOR SELECTION RESOURCES

NEWS & FEEDS

Q SEARCH

≪ Share

Home News New Smart, Reusable Adhesive for Grippers and

Climbing Robots






Industry News

New Smart, Reusable Adhesive for Grippers and Climbing Robots

Published on 2024-04-30. Edited By: SpecialChem

Scientists from Nanyang
Technological University,
Singapore have developed a
smart, reusable adhesive more
than ten times stronger than a
gecko's feet adhesion, pointing
the way for development of
reusable superglue and grippers
capable of holding heavy weights
across rough and smooth
surfaces.

Shape-memory Polymers for Max Adhesion



The NTU research team, led by Professor K Jimmy Hsia, found a way to maximize the adhesion of the smart adhesives by using shape-memory polymers, which can stick and detach easily when needed simply by heating them.

Writing in the scientific journal National Science Review, the team details their breakthrough in adhesion by designing the shape-memory polymer material in the shape of hair-like fibrils.

Support Extremely Heavy Weights

This smart adhesive can support extremely heavy weights, opening new possibilities for robotic grippers that allow humans to scale walls effortlessly, or climbing robots that can cling onto ceilings for survey or repair applications.

"This research is based on a fundamental understanding of the mechanisms of adhesion forces on rough surfaces. It can

help us develop very strong, yet easily detachable, adhesives adaptable to rough surfaces. The technology will be very useful in adhesive grippers and climbing robots and might one day let humans climb walls like a real-life Spider-Man," said Professor Hsia, president's chair in Mechanical Engineering, NTU School of Mechanical & Aerospace Engineering (MAE) and School of Chemistry, Chemical Engineering and Biotechnology.

Remembers Shape and Clings to the Surface

Shape-memory polymers are materials that can hold 'memories' of their previous form and return to their original shape after they have been deformed by applying external stimuli such as heat, light or electrical current. These properties make them ideal to be used as switchable adhesives that can adapt to various surfaces.

In their testing, the researchers used a shape-memory polymer named E44 epoxy, a stiff and glass-like plastic at room temperature. Upon heating, the material turns into a soft rubber-like state that can conform and lock onto microscopic nooks and crevices. As it cools, it becomes glassy, creating extra-strong adhesive bonds due to a shape locking effect.

When the material is reheated, it reverts to its rubbery state so it can be pulled away and easily detached from the surface it was clinging to.

The researchers found that the most effective adhesion came from designing the shape-memory polymer into an array of hair-like fibrils. Each fibril had to be carefully designed – larger fibrils had weaker adhesion, while the smaller fibrils were hard to fabricate and prone to collapse and degradation. The sweet spot was between 0.5 mm and 3 mm in radius, pushing the limits of adhesion while retaining structural integrity.

Overcomes the 'Adhesion Paradox'

In their experiments, the researchers found that one fibril with a 19.6 mm2 cross-section could support loads up to 1.56 kg. Every additional fibril allows for more weight to be supported. A palm-sized array of 37 fibrils weighing about 30 g can hold a weight of 60 kg – an adult human's weight.

The research paper's first author, NTU Research Fellow Dr Linghu Changhong said, "Our smart adhesive exemplifies how shape-memory polymers can maintain and even enhance adhesion as surface roughness increases. This overcomes the 'adhesion paradox', which scientists have been puzzling over, where there is a decrease in adhesion strength on rough surfaces despite having more surface area for molecules to adhere to. Our tests showed that adhesion strength of the polymer increases along with surface roughness when in a solid state and decreases when in the rubbery state."

Co-corresponding author Professor Gao Huajian, formerly a distinguished university professor from NTU's School of MAE and currently the Xinghua University Professor at Tsinghua University said, "For practical gripping purposes, the adhesive needs to be strong enough to stick onto a surface, yet also easily detach when needed. Switching between the two modes is vital for practical applications. Stronger adhesives can support heavier loading but tend to be harder to detach – this is what we call a 'switchability conflict'. Our research into shape-memory polymers has resulted in an adhesive that can easily harden to stick onto surfaces, and just as easily soften to detach, all the while being able to bear heavy weights including that of a human being."

Professor Hsia added, "The shape-memory polymer adhesives we designed overcome both the adhesion paradox and the switchability conflict, providing guidelines for developing stronger and more switchable adhesives adaptable to rough surfaces."

Adhesive Attach and Detach Using Heat

Detaching the shape-memory polymer while it is attached to a surface in a glass state takes less than a minute of heating using a hair dryer to bring temperatures up to 60 degrees Celsius. Conversely, for attachment, it takes about three minutes for the material to cool down thoroughly and lock into place.

The temperature at which the polymer changes states can be controlled by adjusting the ratios of the components used to

form the polymer. This allows the polymer to be used in extreme environments, such as hot weather conditions. In their testing, the researchers set the temperature at which the polymer detaches to 60°C, a temperature that falls outside most comfortable real-world conditions.

This ability of the material to attach and detach using only heat lets it act as a reusable superglue that does not leave behind sticky residue on walls. It can also be used as soft grippers capable of sticking onto objects with diverse surface textures and reliably holding them for extended periods.

Dr Changhong said, "At this current stage, the heating and cooling times, as well as switching temperature, restrict the number of real-world use cases. However, our findings show that reducing the wait times to mere seconds is possible, and the switching temperatures can be lowered to near body temperature, dramatically opening up application possibilities."

"The stimuli to switch the material from one state to another can also be different, such as using electrical current or light instead," he added.

Moving forward, the research team aims to reduce the cooling time required for adhesion. The team envisions that the adhesive might eventually be used in climbing equipment – such as gloves and boots – that will allow climbers to stick onto and scale walls. Robots could also be outfitted with the material to create wall-climbing robots, which are useful in many industries such as construction and building surveying.

Source: Nanyang Technological University



Get monthly updates on Sustainability/Natural Adhesives.

Subscribe to Alerts>>>



Get monthly updates on Epoxy Adhesives.

Subscribe to Alerts>>>



Spotlight



Live webinar: Versatile claybased construction rheology additives

Sign up for our webinar with Elementis' specialist

Read More



Quick Navigation

Marketing solutions Program analytics About us Contact us

Online courses Become an expert Careers

Stay connected

Subscribe to our Newsletters

Enter your professional email Subscribe

Follow us on LinkedIn Follow us

Subscribe to our Youtube channel

Industries Served

Plastics Coatings Adhesives Elastomers Ingredients Ingredients

Cosmetics Polymer Ingredients Additives

Copyright © SpecialChem 2024

Terms and Conditions Privacy
Policy Cookie Policy