


3 October 2026

Energy production, virus defenses and toxin loading emerge as vulnerabilities in resistant bacteria



The compound (ND-011458) binds to a cavity in the cytochrome b subunit of the cytochrome bcc oxidase enzyme and inhibits it. Credit: NTU Singapore

Antimicrobial resistance is one of the world's top public health threats. Often termed a silent pandemic, antimicrobial-resistant bacteria have caused millions of deaths annually. If left unchecked, the number of deaths attributed to antimicrobial-resistant bacteria is expected to increase to 10 million a year by 2050, according to estimates by the World Health Organization.


NTU scientists are pioneering strategies to stay one step ahead of these bacteria.

One NTU research team developed a compound that inhibits an enzyme crucial for energy generation in a resistant bacterium.

Collaborating with the Agency for Science, Technology and Research in Singapore (A*STAR), another group of researchers from NTU's Lee Kong Chian School of Medicine (LKCMedicine) uncovered how the same bacterium resists infection by viruses.

To understand how another resistant bacterium colonizes its host, a research team from NTU and Imperial College London investigated the molecular structure of the 'weapon' it uses to load and fire toxins into rival bacteria and other cells.

Their research has opened avenues for new treatments that target antimicrobial-resistant bacteria, as well as novel ways of disarming such bacteria.



Video on how *P. aeruginosa* loads and fires toxins. Credit: NTU Singapore


Blocking energy generation

Opportunistic pathogens that are resistant to antimicrobials are especially concerning because they infect patients with weakened immune systems. For instance, *Mycobacterium abscessus* causes severe lung disease in patients with cystic fibrosis and is intrinsically resistant to many commonly used antibiotics.

To treat *M. abscessus* infections, a team of researchers led by professor Gerhard Grüber of NTU's School of Biological Sciences (SBS) has developed a compound that prevents the bacterium from generating energy for survival. The compound inhibits a key enzyme in the electron transport chain of *M. abscessus*, a series of proteins that the bacterium uses to produce adenosine triphosphate (ATP), a molecule that cells use to power their metabolic processes.

The findings are published in *Nature Communications*.

Using cryo-electron microscopy, the scientists identified a pocket in the cytochrome b subunit of the cytochrome bcc oxidase, a crucial enzyme in the electron transport chain of *M. abscessus*, that binds to the substrate and is responsible for the enzyme's activity.



*Transmission electron micrograph of a bacteriophage attached to a *M. abscessus* cell.*
Credit: NTU Singapore


They then designed a compound that fits into the pocket to inhibit the enzyme.

Because the structure of the cytochrome bcc oxidase is unique to *M. abscessus*, the compound targets only the bacterium and is not toxic to human cells.

When used in combination with clofazimine, an antibiotic used to treat mycobacterial infections, the new compound was effective at killing *M. abscessus* (2-log fold reduction in four days).

"As the currency of life, ATP delivers the energy for essential processes in *M. abscessus*, including its defense mechanisms against antibiotics. Silencing the electron transport chain that produces ATP is thus a potential treatment for difficult-to-treat *M. abscessus* infections that also disables the bacterium," says Grüber, who was the corresponding author of the research.

A patent has been filed, and the researchers are working with U.S.-based pharmaceutical company Hsiri Therapeutics to license the compound.



The Hcp proteins encapsulate the toxin and the complexes form a long tube which contracts to deliver the toxins. Credit: Imperial College London and NTU Singapore

Hijacking mycobacteria with viruses

In addition to developing new antimicrobials, researchers have explored viruses called bacteriophages as a possible treatment for *M. abscessus* infections.

These bacteriophages infect the bacteria and hijack their replication machinery to make more copies of themselves. Eventually, the bacteria burst, releasing the newly formed viruses.

In another study reported in the *Proceedings of the National Academy of Sciences*, researchers from NTU and the Agency for Science, Technology and Research in Singapore uncovered how *M. abscessus* can resist attack by these viruses.

Their findings shed light on how phage therapies can be optimized to treat *M. abscessus* infections effectively while minimizing the development of resistance.

M. abscessus exists as two variants: smooth and rough. The smooth variant of *M. abscessus* produces lipids called glycopeptidolipids on its outer surface and forms round colonies, while the rough variant lacks glycopeptidolipids and forms irregular, cauliflower-shaped colonies.

Compared with the smooth variant, the rough variant of *M. abscessus* causes more severe disease and is more challenging to treat.

The researchers discovered the mechanism by treating "smooth" *M. abscessus* strains with bacteriophages that target them. After treatment, the researchers observed that rough variants of the bacteria emerged. They found mutations in the genes coding for essential enzymes required for the synthesis and transport of glycopeptidolipids to the surface of the bacteria in the rough strains.

The scientists hypothesize that the loss of glycopeptidolipids may prevent the phages from binding to and attacking the bacteria.

In other cases, the bacteria became resistant to the phages while remaining smooth, instead developing mutations in different surface-related genes.

"These findings reveal an important challenge in developing phage-based therapies. Although phages can effectively eliminate bacteria, they may also inadvertently make infections more difficult to treat, as seen in the 'rough' form," explained professor Pablo Bifani, a scientist at NTU's Lee Kong Chian School of Medicine (LKCMedicine) who was the corresponding author of the study.

"Based on our research, using a cocktail of bacteriophages that target both the smooth and rough variants to treat *M. abscessus* infections may reduce the likelihood of the bacterium developing resistance to the viruses."

Disarming dangerous bacteria

Another opportunistic pathogen that is highly resistant to antibiotics, *Pseudomonas aeruginosa*, causes chronic infections in immunocompromised, hospitalized and critically ill patients.

A weapon in the arsenal of *P. aeruginosa* is the Type VI Secretion System (T6SS), which it uses like a speargun to inject toxins into rival bacteria and host cells.

This enables it to eliminate competing microorganisms and immune cells and colonize the host more effectively.

Researchers at NTU and Imperial College London have discovered the structure of this microscopic weapon and how it loads toxins.

The study is published in *Nature Microbiology*.

Using biochemical analysis and cryo-electron microscopy, they found that the T6SS is assembled in a step-by-step process. Toxins are first captured by a protein called Hcp. Five additional Hcp proteins then wrap around the toxin to form a ring. Each toxin-loaded ring resembles a flying saucer, with the toxin positioned in the center. In some cases, two rings may be needed to fully enclose a larger toxin.

The loaded rings then stack on top of one another to form a long tube. When the system contracts, it propels the tube outward like a harpoon, delivering the payload of toxins into a target cell.

The tube can carry different toxins, so a single firing event may deliver a cocktail of compounds.

"This bacterium does not just fire a single toxin. It loads a cocktail of toxins into a microscopic speargun and fires them in one strike, allowing it to attack different targets, including beneficial bacteria that normally live in the body, as well as the host's own defense cells," says co-corresponding author professor Alain Filloux, research director of the Biofilms & Health Cluster at NTU's Singapore Center for Environmental Life Sciences Engineering, who is also from NTU's SBS and LKCMedicine.

"This helps the bacterium colonize the host more effectively. If we can block this loading step in the future, it could pave the way for approaches that disarm the bacterium and make it less able to cause disease."

According to the researchers, harmless bacteria can also be engineered with a T6SS loaded with toxins to fight invading bacteria, such as antimicrobial-resistant gut pathogens.

"What is exciting about this work is that we can now see, at near-atomic detail, how a bacterial toxin is physically captured and enclosed inside the building blocks of the T6SS," adds associate professor Tiago Dias da Costa from Imperial College London's Department of Life Sciences at the Faculty of Natural Sciences, who co-led the study.

"High-resolution 3D images obtained from cryo-electron microscopy reveal that toxin loading is not a passive process, but a highly organized assembly pathway in which the secretion tube forms around its cargo. This gives us a molecular explanation for how *P. aeruginosa* prepares a cocktail of toxic effectors before firing them into competing microbes or host cells.

"By understanding this mechanism, we not only uncover a fundamental principle of bacterial cell biology but also identify new ways in which these systems might eventually be disrupted or repurposed."

<https://soz6.com/news/energy-production-virus-defenses-and-toxin-loading-emerge-as-vulnerabilities-in-resistant-bacteria>